

LANDMARK SERIES

Residential Product Catalogue









rwdoors.com

Why Richards-Wilcox?



Celebrating Over 110 Years In Business

Incorporated in 1912, Richards-Wilcox® was the first company in Canada to introduce sectional overhead doors and establish nationwide distribution channels. In the 1970s, R-W launched a full line of steel sectional doors. In the 1980s, we began production of continuous polyurethane-insulated sections. This was one of only three lines of its kind in North America.

The subsequent decades have brought continual improvements to our product offerings and manufacturing processes, including the addition of a full range of residential polyurethane insulated sectional doors. R-W is proud of our rich history of excellence. We are committed to being innovators of sectional door design and to manufacturing the highest quality door systems in the world.

Quality Production

Every aspect of our manufacturing operation is subject to the highest standards. Our team of engineers is dedicated to researching state-of-the-art design and production methods. An in-house testing facility and uncompromising quality control inspections make certain that only premium products leave the premises. Using the best available materials and technology guarantees that the finished door system will be reliable, strong, and worry-free for years to come.



Authorized Dealers

A door is only as good as its installation. That's why our doors are only installed by authorized dealers. This process ensures that every installation meets our standards of quality.



Made In Canada

Richards-Wilcox® has been in business for over 110 years; from parts, to hardware and panels, R-W doors are proudly made in Canada.



Lifetimer™ Warranty

When you choose R-W, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Lifetimer™ warranty.

The Landmark™ Series

All Doors Feature

Neufoam™ Insulation

Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.

Pre-Painted Galvanized Steel Sheets

High-strength, rust-resistant and available in up to 12 colours to match the beauty of your home. No additional material (eg. wood) is used on our doors.

Weatherlock™ Section Joint

R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal

Prevents air leaks.

Thermal Break

Prevents heat transfer and air infiltration.

Galvanized Steel Endcaps

Heavy duty for additional strength.

Arctic-Grade Bulb-Shaped Bottom Seal

Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.




Table of Contents

Rockwood Contemporary Collection......Page 22

Additional Resources

Decorative Insert Windows	Page	6
Metal Insert Windows	Page	7
Grandview, Briarcrest & Contemporary Windows	Page	12
Landmark Elements Woodtones	Page	13
Decorative Hardware	Page	24
Standard Hardware	Page	25
Warranty Information	Page	26
Design-A-Door	Page	27

Classic and Premium Collections



Traditional style garage doors

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- Up to 8 panel styles available
- 12 colour options available
- 20' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



TruBalance™

Drum system provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.




Classic (L138) Premium (L200) 1 3/8" thick door 2" thick door

R12 R-Value R18 R-Value

Only available with Premium (L200)

Panel Styles



Colour Options




Landmark Elements Woodtones




Cocoa Honey Hickory Cedar

Plank and Flush panels styles are available in both woodgrain and stucco embossing. Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style. Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details. Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Decorative Inserts









Frame Colour Options Frame matching for all decorative inserts. Frames on the inside of the door are white.



Woodtone Frame Colour Options Frame matching for all decorative inserts. Frames on the inside of the door are white.



Glass Styles











Black Satin

Metal Inserts

Window Style



Prairie Colonial (19.5" wide x 14" high)




Prairie Ranch (42" wide x 14" high)



Stockton 10 (42" wide x 14" high)

Insert Material



Round Bar

3/8" (10 mm) round bars available in pewter.

Square Bar

3/8" (10 mm) square bars available in black.

Aluminum Grid

5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

Frame Colour Options Frame matching for all metal inserts. Frames on the inside of the door are white.



Woodtone Frame Colour Options Frame matching for all metal inserts. Frames on the inside of the door are white.



Hickory

Cedar

Glass Styles







Clear

Satin

Obscure

Grandview Collection



Traditional style garage door with an extra large top section featuring 20% larger windows

Featuring

- 24" top section with extra large windows
- 2" (R18) section thickness
- 7 panel styles available
- 12 colour options available
- 18' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



TruBalance™

Drum system provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.




Grandview (L200GV)

2" thick door

R18 R-Value

Panel Styles










Flush



Plank



Raised Ranch



Recessed Grooved Ranch

Recessed Grooved Colonial

Recessed Smooth Ranch

Colour Options













Sandstone



Iron Ore



Slate Grey

White

Black

Landmark Elements Woodtones



Almond



Cocoa Hickory

Honey Cedar

See page 12 for window options

Plank and Flush panels styles are available in both woodgrain and stucco embossing. Iron Ore, Slate Grey and Café colour options are not available in the Recessed Grooved Colonial panel style. Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details. Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Contemporary Collections



Modern style garage doors with a wide array of customizable window placements

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 panel styles available
- 12 colour options available
- 3 window styles available
- 20' x 14' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Classic Contemporary (L138C) Premium Contemporary (L200C)

1 3/8" thick door 2" thick door

R12 R-Value R18 R-Value








Landmark Elements Woodtones



Cedar

Hickory



Slim and Aluminum windows are not available on the Classic Contemporary model.

Plank and Flush panels styles are available in both Woodgrain and Stucco embossing.

Honey Cedar and Cocoa Hickory colours are only available in woodgrain embossing. See page 13 for more details.

Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour sample.

Grandview and Briarcrest Windows



Standard window sizing



XL Grandview & Briarcrest Windows (20% larger than a standard ranch window)







4-Over-4



Clear

Two-Piece Arch



Wrought-Iron



4-Pane



4-Over-4



Glass Styles





Satin



Obscure

Frame Colour Options Frame matching for all decorative inserts. Frames on the inside of the door are white.



Wrought-Iron

Almond

4-Pane



Bronze



Brown







Sandstone Iron Ore



Slate Grey White



Cocoa Hickory



Cedar

Contemporary Windows

Window Options

Black



(19.5" wide w x 14" high)



(43" wide x 14" high)





Smoke

Glass Styles





Satin



Obscure





Single (35" wide x 7.5" high)

Double (70" wide x 8.5" high)

Dark Tint



Black Satin

Frame Colour Options Available for Colonial, Ranch and Slim Windows. Frames on the inside of the door show as white.



Almond



Black



Bronze



Brown



















Hickory

Aluminum windows are only available in Clear and Satin glass. Frame matching is not available for Aluminum windows. Slim windows are only available in Clear, Satin and Black Satin glass. Honey Cedar and Cocoa Hickory doors come standard with black slim windows.

Landmark[™] **Elements**

Our Landmark Elements are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colours are available in the following Landmark models: Classic (L138), Premium (L200), Grandview (L200GV), Classic Contemporary (L138C) and Premium Contemporary (L200C).

Landmark Elements are offered in two designs:

Dual-Directional Design

Available in these panel styles:

- Raised Ranch
- Raised Colonial
- Recessed Grooved Ranch
- Recessed Grooved Colonial
- Mixed Panel (L200 only)

Plank Design

Available in this panel style:

Flush

Cocoa Hickory







Honey Cedar







Briarcrest Collection



Carriage house style door featuring inlay patterns and extra large windows

Featuring

- 24" top section with extra large windows
- Recessed Smooth Ranch sections and carriage house inlays
- 2" (R18) section thickness
- 5 panel styles available
- 9 colour options available
- 18' x 12' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



TruBalance™

Drum system provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.



Briarcrest (L200BC)


2" thick door

R18 R-Value


Panel Styles



V-Buck







Colour Options



Black















Glass Styles


Window Options 43.5" wide x 17" high

Rectangle











Wrought-Iron

4-Pane

Almond



Clear

4-Pane

Clear

Clear



Obscure

For full details on Window availability please see Page 12. Colours displayed will vary from the actual steel colour. Contact your local R-W dealer for colour samples.

Echo Ridge Collection



Carriage house style door with flush section and Fibrex® overlay boards

Featuring

- Flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 1 3/8" (R12) section thickness
- 6 panel styles available
- 6 colour options
- 2 overlay board colours
- 16' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge (L138ER)

1 3/8" thick door

R12 R-Value

Panel Styles














Colour Options












White

Overlay Board Options



Window Options



One Pane



One-Pane Arched



Three Pane

Three-Over-Three Pane



Three-Over-Three Arched

Glass Styles



Clear

Echo Ridge XL Collection



Three-section carriage house style door featuring Fibrex® overlay boards

Featuring

- 3-Section flush door section with Fibrex® overlay boards for a carriage house appeal
- Overlay boards have beveled edges and mitered corners
- 2" (R18) section thickness
- 6 panel styles available
- 1 colour option available
- · 2 overlay board options
- 16' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Echo Ridge XL (L200ERX)

2" thick door

R18 R-Value

Panel Styles



V-Buck











Overlay Board Options



Three-Over-Three Pane

Three-Over-Three Arched



Window Options



One Pane



One-Pane Arched




Three Pane

White



Clear

Rockwood Collection



Carriage house door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Custom cedar three-section door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with1" cedar board
- 18' x 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Rockwood (L200RW)



Composite Material

1/2" Extira composite material. A treated exterior smooth surface provides a flat exterior for painted doors.

3" thick sections (2" Landmark panel & 1" cedar board)





V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

R19.35 R-Value




Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Rockwood Style Options


This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.




Bentley




Bracebridge



Crosshill




Harmony



Harrington


Shakespeare



Linwood









Stratford



Owen Sound



Waterloo



Oxford



Windsor

Window Options





One-Pane Arched



Three-Pane Arched



Three Pane




Three-Over-Three



Three-Over-Three Arched

Rockwood Contemporary



Modern door featuring a custom wood overlay available in a variety of styles and colours

Featuring

- Modern custom cedar door
- Matching cedar capped channels blend evenly into the custom coloured panels
- Ability to match any arched header to fit any opening
- 3" (R19.25) section thickness with 1" cedar board
- 18' X 10' max door size



Neufoam™

Higher density polyurethane insulation in a computer-controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



WeatherLock™

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual-contact aluminum retainer.



Rockwood Contemporary (L200RWC)

3" thick sections
(2" Landmark panel & 1" cedar board)

R19.35 R-Value



Composite Material

1/2" Extira composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



V-Groove

Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.




Custom Colours


Please see your local dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.


Popular Rockwood Contemporary Configurations

This is a small sampling of the Rockwood style options. Custom designs are available. See dealer for details.



Decorative Hardware





Manor Collection

Colonial Collection

Mission Collection

Cast Iron Door Studs

Standard Hardware

Not Just Another Pretty Face. Our hardware components are made to the highest industry standards.



Standard Hardware

- 10,000-cycle torsion spring
- Brackets and flags riveted to the verticals
- Horizontal angle riveted to horizontals
- Bearing plate with press in bearing
- White nylon 11 BB rollers
- 14-gauge hinges
- 16-gauge vertical and horizontal track
- Full-length horizontal angle on double doors
- 5-year warranty




Standard Hardware Plus

- 20,000-cycle torsion spring
- Pre-assembled, bolt together track sets
- White nylon 11 BB rollers
- 14 gauge hinges
- 14 gauge vertical and horizontal track
- Features a locking collar bearing on single spring doors
- Lifetime warranty

Both SH and SH+ are available in these headroom configurations.

- High lift
- Standard lift 12" radius
- Standard lift 15" radius
- Low headroom front-mount
- Low headroom rear-mount



Landmark® Warranty

Limited Lifetimer™ Warranty

Richards-Wilcox warrants door sections against deterioration due to "rust through" and/or "delamination" and all hardware components (see below for spring detail) used in the door system against defects in material and workmanship as follows:



- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Briarcrest., Echo Ridge & Echo Ridge XL door systems are warranted against delamination for a period of five (5) years.
- Standard Hardware components are warranted for five (5) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.

Springs

Richards-Wilcox warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

• In residential single-family installations, for a period of five (5) years from the date of delivery to the original purchaser.

Glass


Richards-Wilcox warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. Richards-Wilcox will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

Painting

Your Richards-Wilcox residential garage door is already protected with a long-lasting finish. No additional painting is required. R-W will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.

For more warranty information please see rwdoors.com.

Design-A-Door



Build the perfect garage door for your home

Create a rendering of your garage door in minutes with our Design-a-Door tool. Choose from a wide range of styles, colours, and accessories to perfectly complement your home's aesthetic. Once your design is complete, simply request a quote from one of our authorized professional installing dealers.







LANDMARK" SERIES

For additional information and friendly advice, please contact your local Richards-Wilcox® dealer.



5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5 Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037

rwdoors.com